

INDEX TO VOLUME 248 (A)

- Adkins, J. E. & Rivlin, R. S. Large elastic deformations of isotropic materials. X. Reinforcement by inextensible cords, 201.
- Analytical treatment of two-dimensional supersonic flow. I. Shock-free flow (Mahony & Meyer), 467.
- Analytical treatment of two-dimensional supersonic flow. II. Flow with weak shocks (Mahony), 499.
- Assessment of the system of optimum coding used on the Pilot Automatic Computing Engine at the National Physical Laboratory (Wilkinson), 253.
- Batchelor, G. K. & Proudman, I. The large-scale structure of homogeneous turbulence, 369.
- Bowden, K. F. The flow of water through the Straits of Dover related to wind and differences in sea level, 517.
- Budden, K. G. The numerical solution of the differential equations governing the reflexion of long radio waves from the ionosphere. II, 45.
- Bycroft, G. N. Forced vibrations of a rigid circular plate on a semi-infinite elastic space and on an elastic stratum, 327.
- Cassels, J. W. S. & Swinnerton-Dyer, H. P. F. On the product of three homogeneous linear forms and indefinite ternary quadratic forms, 73.
- Dhillon, J. S. & Shoenberg, D. The de Haas-van Alphen effect. III. Experiments at fields up to 32 kG, 1.
- Distribution of electrons in the undisturbed F_2 layer of the ionosphere (Schmerling & Thomas), 609.
- Doidge, P. R. The transition to superconductivity, 553.
- Eason, G., Fulton, J. & Sneddon, I. N. The generation of waves in an infinite elastic solid by variable body forces, 575.
- Effective procedures in field theory (Fröhlich & Shepherdson), 407.
- Flow of water through the Straits of Dover related to wind and differences in sea level (Bowden), 517.
- Force field, vibration frequencies, normal co-ordinates, infra-red and Raman intensities for benzene (Whiffen), 131.
- Forced vibrations of a rigid circular plate on a semi-infinite elastic space and on an elastic stratum (Bycroft), 327.
- Fröhlich, A. & Shepherdson, J. C. Effective procedures in field theory, 407.
- Fulton, J. *See* Eason, Fulton & Sneddon.
- Generation of waves in an infinite elastic solid by variable body forces (Eason, Fulton & Sneddon), 575.
- Gregory, N., Stuart, J. T. & Walker, W. S. On the stability of three-dimensional boundary layers with application to the flow due to a rotating disk, 155.
- de Haas-van Alphen effect. III. Experiments at fields up to 32 kG (Dhillon & Shoenberg), 1.
- Harrison, J. C. An interpretation of gravity anomalies in the Eastern Mediterranean, 283.
- Hoskin, N. E. The interaction of two identical spherical colloidal particles. I. Potential distribution, 433.
- Hoskin, N. E. & Levine, S. The interaction of two identical spherical colloidal particles. II. The free energy, 449.
- Interaction of two identical spherical colloidal particles. I. Potential distribution (Hoskin), 433.
- Interaction of two identical spherical colloidal particles. II. The free energy (Hoskin & Levine), 449.
- Interpretation of gravity anomalies in the Eastern Mediterranean (Harrison), 283.
- Large elastic deformations of isotropic materials. X. Reinforcement by inextensible cords (Adkins & Rivlin), 201.

- Large-scale structure of homogeneous turbulence (Batchelor & Proudman), 369.
 Levine, S. *See* Hoskin & Levine.
- Mahony, J. J. Analytical treatment of two-dimensional supersonic flow. II. Flow with weak shocks, 499.
 Mahony, J. J. & Meyer, R. E. Analytical treatment of two-dimensional supersonic flow. I. Shock-free flow, 467.
 Meyer, R. E. *See* Mahony & Meyer.
- Moments of the number of points of a lattice in a bounded set (Rogers), 225.
- New high precision calorimeter for the measurement of heats of combustion: and the heat of combustion of succinic acid (Pilcher & Sutton), 23.
- Numerical solution of the differential equations governing the reflexion of long radio waves from the ionosphere. II (Budden), 45.
- Pilcher, G. & Sutton, L. E. A new high precision calorimeter for the measurement of heats of combustion: and the heat of combustion of succinic acid, 23.
- Pippard, A. B. Trapped flux in superconductors, 97.
- Product of three homogeneous linear forms and indefinite ternary quadratic forms (Cassels & Swinnerton-Dyer), 73.
- Proudman, I. *See* Batchelor & Proudman.
- Ratcliffe, J. A., Schmerling, E. R., Setty, C. S. G. K. & Thomas, J. O. The rates of production and loss of electrons in the *F* region of the ionosphere, 621.
 Rates of production and loss of electrons in the *F* region of the ionosphere (Ratcliffe, Schmerling, Setty & Thomas), 621.
- Rivlin, R. S. *See* Adkins & Rivlin.
- Rogers, C. A. The moments of the number of points of a lattice in a bounded set, 225.
- Schmerling, E. R. *See* Ratcliffe, Schmerling, Setty & Thomas.
- Schmerling, E. R. & Thomas, J. O. The distribution of electrons in the undisturbed F_2 layer of the ionosphere, 609.
- Setty, C. S. G. K. *See* Ratcliffe, Schmerling, Setty & Thomas.
- Shepherdson, J. C. *See* Fröhlich & Shepherdson.
- Shoenberg, D. *See* Dhillon & Shoenberg.
- Sneddon, I. N. *See* Eason, Fulton & Sneddon.
- Stability of three-dimensional boundary layers with application to the flow due to a rotating disk (Gregory, Stuart & Walker), 155.
- Stuart, J. T. *See* Gregory, Stuart & Walker.
- Sutton, L. E. *See* Pilcher & Sutton.
- Swinnerton-Dyer, H. P. F. *See* Cassels & Swinnerton-Dyer.
- Thomas, J. O. *See* Ratcliffe, Schmerling, Setty & Thomas *also* Schmerling & Thomas.
- Transition to superconductivity (Doidge), 553.
- Trapped flux in superconductors (Pippard), 97.
- Walker, W. S. *See* Gregory, Stuart & Walker.
- Whiffen, D. H. The force field, vibration frequencies, normal co-ordinates, infra-red and Raman intensities for benzene, 131.
- Wilkinson, J. H. An assessment of the system of optimum coding used on the Pilot Automatic Computing Engine at the National Physical Laboratory, 253.

PHILOSOPHICAL TRANSACTIONS
OF THE
ROYAL SOCIETY OF LONDON

PHILOSOPHICAL TRANSACTIONS

OF THE

ROYAL SOCIETY OF LONDON

SERIES A

VOLUME 248

MATHEMATICAL AND PHYSICAL SCIENCES

1955-1956

Published by the Royal Society
Burlington House
Piccadilly
London, W. 1

1956

PRINTED IN GREAT BRITAIN AT
THE UNIVERSITY PRESS, CAMBRIDGE

CONTENTS

Series A Volume 248

	PAGE
The de Haas-van Alphen effect. III. Experiments at fields up to 32 kG. By J. S. DHILLON and D. SHOENBERG, F.R.S.	1
A new high precision calorimeter for the measurement of heats of combustion: and the heat of combustion of succinic acid. By G. PILCHER and L. E. SUTTON, F.R.S.	23
The numerical solution of the differential equations governing the reflexion of long radio waves from the ionosphere. II. By K. G. BUDDEN	45
On the product of three homogeneous linear forms and indefinite ternary quadratic forms. By J. W. S. CASSELS and H. P. F. SWINNERTON-DYER	73
Trapped flux in superconductors. By A. B. PIPPARD	97
The force field, vibration frequencies, normal co-ordinates, infra-red and Raman intensities for benzene. By D. H. WHIFFEN	131
On the stability of three-dimensional boundary layers with application to the flow due to a rotating disk. By N. GREGORY, J. T. STUART and W. S. WALKER	155
Large elastic deformations of isotropic materials. X. Reinforcement by inextensible cords. By J. E. ADKINS and R. S. RIVLIN	201
The moments of the number of points of a lattice in a bounded set. By C. A. ROGERS	225
An assessment of the system of optimum coding used on the Pilot Automatic Computing Engine at the National Physical Laboratory. By J. H. WILKINSON	253
An interpretation of gravity anomalies in the Eastern Mediterranean. By J. C. HARRISON	283
Forced vibrations of a rigid circular plate on a semi-infinite elastic space and on an elastic stratum. By G. N. BYCROFT	327
The large-scale structure of homogeneous turbulence. By G. K. BATCHELOR and I. PROUDMAN	369
Effective procedures in field theory. By A. FRÖHLICH and J. C. SHEPHERDSON	407
The interaction of two identical spherical colloidal particles. I. Potential distribution. By N. E. HOSKIN	433
The interaction of two identical spherical colloidal particles. II. The free energy. By N. E. HOSKIN and S. LEVINE	449
Analytical treatment of two-dimensional supersonic flow. I. Shock-free flow. By J. J. MAHONY and R. E. MEYER	467
Analytical treatment of two-dimensional supersonic flow. II. Flow with weak shocks. By J. J. MAHONY	499
The flow of water through the Straits of Dover related to wind and differences in sea level. By K. F. BOWDEN	517
The transition to superconductivity. By P. R. DOIDGE	553
The generation of waves in an infinite elastic solid by variable body forces. By G. EASON, J. FULTON and I. N. SNEDDON	575
The distribution of electrons in the undisturbed F_2 layer of the ionosphere. By E. R. SCHMERLING and J. O. THOMAS	609
The rates of production and loss of electrons in the F region of the ionosphere. By J. A. RATCLIFFE, F.R.S., E. R. SCHMERLING, C. S. G. K. SETTY and J. O. THOMAS	621

ADVERTISEMENT

THE Committee appointed by the *Royal Society* to direct the publication of the *Philosophical Transactions* take this opportunity to acquaint the public that it fully appears, as well from the Council-books and Journals of the Society as from repeated declarations which have been made in several former *Transactions*, that the printing of them was always, from time to time, the single act of the respective Secretaries, till the Forty-seventh Volume; the Society, as a body, never interesting themselves any further in their publication than by occasionally recommending the revival of them to some of their Secretaries, when, from the particular circumstances of their affairs, the *Transactions* had happened for any length of time to be intermitted. And this seems principally to have been done with a view to satisfy the public that their usual meetings were then continued, for the improvement of knowledge and benefit of mankind: the great ends of their first institution by the Royal Charters, and which they have ever since steadily pursued.

But the Society being of late years greatly enlarged, and their communications more numerous, it was thought advisable that a Committee of their members should be appointed to reconsider the papers read before them, and select out of them such as they should judge most proper for publication in the future *Transactions*; which was accordingly done upon 26th of March, 1752. And the grounds of their choice are, and will continue to be, the importance and singularity of the subjects, or the advantageous manner of treating them: without pretending to answer for the certainty of the facts, or propriety of the reasonings contained in the several papers so published, which must still rest on the credit or judgment of their respective authors.

It is likewise necessary on this occasion to remark, that it is an established rule of the Society, to which they will always adhere, never to give their opinion, as a Body, upon any subject, either of Nature or Art, that comes before them. And therefore the thanks, which are frequently proposed from the Chair, to be given to the authors of such papers as are read at their accustomed meetings, or to the persons through whose hands they received them, are to be considered in no other light than as a matter of civility, in return for the respect shown to the Society by those communications. The like also is to be said with regard to the several projects, inventions, and curiosities of various kinds, which are often exhibited to the Society; the authors whereof, or those who exhibit them, frequently take the liberty to report, and even to certify in the public newspapers, that they have met with the highest applause and approbation. And therefore it is hoped that no regard will hereafter be paid to such reports and public notices; which in some instances have been too lightly credited, to the dishonour of the Society.

INTRODUCING A VOLUME SUBSCRIPTION RATE
FOR THE
PHILOSOPHICAL TRANSACTIONS OF THE ROYAL SOCIETY

In response to a desire expressed by many subscribers to the *Philosophical Transactions* for a subscription rate for volumes of this publication, the Royal Society has much pleasure in introducing the following volume subscription scheme with effect from volume 249 of Series A and volume 240 of Series B.

The price of a volume in each Series is the total of the prices of its constituent parts which are issued irregularly. The price of each part is directly related to the number of pages and plates it contains and is therefore dependent on the length and nature of the paper.

It is proposed that all future volumes will close when the total price of the parts reaches a minimum of £10. In the past an additional charge for postage and packing has been made on each part, but with the subscription rate there will be no such additional charge.

The subscription rate, *payable in advance of publication*, for future volumes of either Series A or B will be:

Volume in parts as issued	£9. 9s. (post free)
Cloth bound volume	£9. 17s. (post free)

Subscriptions should be placed with the Royal Society, Burlington House, Piccadilly, London, W. 1.